


CAR RADIO

BOLOGNA 170



Subject to availability and technical modification.



Sales Start
MAY 2017

Order Number
2 001 017 123 473

EAN-Code
4260 499 850 258

Highlights

- FM (RDS), AM (MW,LW) Automotive Tuner
- Playback formats: MP3, WMA
- Playback from USB, SDHC, SD
- Data carrier: USB, SDHC, SD
- Front USB (Standard A-type)
- SDHC-card slot (behind panel)
- Front-Aux-in
- 4x40 Watt Max. + 2-channel Preamp-out
- 4-band, semi-parametric Equalizer
- Sound presets (Flat, Rock,Pop, Classic)
- X-Bass
- IR-Remote control included
- Release Panel
- Permanent preset memory

CAR RADIO

BOLOGNA 170

2/3

ANALOG RADIO

Tuner Type
World band tuner (switchable)
Wave bands
Radio Data System (RDS)

RDS Automotive Tuner
EU, USA, South America
FM 1,2,3,AM 1,2
Alternative Frequency (AF)
Enhanced Other Networks (EON)
Regional Programme (REG)
Programme Service Name (PS)
Traffic Announcement (TA)
Traffic Program (TP)
yes (FM3)
yes / yes
30

Travelstore
Band Scan / Preset Scan
Station memory
Permanent preset memory
Sensitivity
Interference suppression
Frequency response (Hz) -3 dB

local (on / off)
yes
40 – 12.000

DATA CARRIER

USB
Memory cards
Formatting USB / SD

USB 2.0
SDHC (up to 32 GB), SD
FAT 32, FAT 16

MEDIA-PLAYER

Playback format
Title display

MP3, WMA
ID3-tag, file, folder

EQUALIZER


Bass (at 100 Hz)
Treble (at 10kHz)
Balance / fader
X-Bass
Sound presets

+/- 10 dB
+/- 10 dB
yes / yes
yes (on / off)
Flat, rock, pop, classic

AMPLIFIER

Number of channels
Max. power
Sinus power at 14.4 V

4
4 x 40 Watt
4 x 18 Watt



1. "MUTE" button.
2. "TS" button.
3. "BAND" button.
4. "SRC" (source) button.
5. "VOL/MENU" button.
6. "VOL/MENU" button.
7. LCD display.
8. "H4" (SEEK DOWN) button.
9. "DISP" button.
10. USB port.
11. "AUX IN" jack.
12. "H4" (SEEK UP) button.
13. "EQ" button.
14. "6 DIR" button.
15. "5 DIR" button.
16. "4 RDM" button.
17. "3 RPT" button.
18. "2 SCN" button.
19. "1 HI" button.
20. "MP3" MP3 search button.
21. RESET button.
22. TF card slot.

CAR RADIO

BOLOGNA 170

3/3

DISPLAY

Type	LCD (1-line)
Appearance	Negative
View angle	12 o'clock
Clock display	yes

INPUTS

Antenna (number of)	1
USB (number of / type)	1 (front / standard A-Typ)
Memory cards	yes (behind front panel)
Aux-In (number of, type)	1 front (3,5 mm jack)

OUTPUTS

Loudspeaker (number of)	4
Pre-amplifier channel	2-channels (cinch)
Pre-amplifier voltage	4 V

GENERAL

Power supply requirements	DC 12V, negative ground
Current drain	10 ampre (max.)
Height x Width x Depth (mm)	50 x 178 x 97
Software update	via USB
Confirmation beep	yes (on/off)
Front panel	Release panel
Panel	Black
Encoder / key illumination	Red / Red
Demo mode	yes
Panel case	yes (included in delivery)

ISO CONNECTION

